

**GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT**

Public Services – Irrigation & CAD Department – Irregularities in the works relating to “Formation of earth dam from Ch. 96.25 to 500 M including construction of head sluice at 490 M of Peddagedda Project near Kesali Village in Pachipenta (M) of Vizianagaram District - Disciplinary proceedings initiated against Sri A.P.S Prakasa Rao, the then Executive Engineer, Peddagadd Project Divn., Saluru and now retired- Inquiry conducted – Charges not held Proved -Further action dropped – orders issued

-----

**IRRIGATION & CAD (Ser.VII(V&E-2) DEPARTMENT**

**G.O.Rt.No. 391**

**Dated : 25-04-2013  
Read the following:**

1. From the General Administration (V&E) Dept. Vigilance report No. 119 (1586/V&E/E2/2004), dt. 06.08.2005.
2. G.O.Rt.No.194, I & CAD (Ser.VII(V&E-2) Dept , dated 17.02.2007
3. From APS Prakasa Rao, EE WSSD dt.28.02.2007
4. G.O.Rt.No. 516, I & CAD (Ser.VII(V&E-2) Dept, dt.24.09.2009.
5. D.O.LR.NO. 597/COI.SB/2009, Dt. 31.12.2011.

\*\*\*\*

**O R D E R**

In the reference 1<sup>st</sup> read above, it was brought to the notice of the Government that certain Engineers of I & CAD Department have committed irregularities in execution of Formation of earth dam from Ch. 96.25 to 500 M including construction of head sluice at 490 M of Peddagedda Project near Kesali Village in Pachipenta (M) of Vizianagaram District with a recommendation to initiate necessary disciplinary action against them,

2. In the reference 2<sup>nd</sup> read above, disciplinary action has been initiated against Sri A.P.S Prakasa Rao, the then Executive Engineer, Peddagadd Project Divn., Saluru and now retired by way of issueing articles of charge against him along with six(6) others.

3. In the reference 3<sup>rd</sup> read above, Sri A.P.S Prakasa Rao, the then Executive Engineer, Peddagadd Project Divn., Saluru and now retired has submitted his Written statement of defense duly denying the charges framed against him.

4. In the reference 4<sup>th</sup> read above, the case was entrusted to COI for conducting a regular inquiry into the charges framed against all the charged officers by appointing Dr. Subrendu Bhattacharya, COI, GA(COI) Dept as I.A. as their written statements of defense are not convincing.

5. In the reference 5<sup>th</sup> read above, the Inquiring Authority has submitted his inquiry report stating that the charges framed against Sri A.P.S Prakasa Rao, the then Executive Engineer, Peddagadd Project Divn., Saluru and now retired held as not proved.

**::2::**

6. After examining the inquiry report, it is decided to accept the findings of the IA, in respect of Sri A.P.S Prakasa Rao, the then Executive Engineer, Peddagadd Project Divn., Saluru and now retired and to drop further action against him. Accordingly Govt. hereby order to drop further action against Sri APS Prakasa Rao, the then Executive Engineer, Peddagadd Project Divn., Saluru and now retired in respect of the irregularities in execution of Formation of earth dam from Ch. 96.25 to 500 M including construction of head sluice at 490 M of Peddagadda Project near Kesali Village in Pachipenta (M) of Vizianagaram District.

7. The I & CAD(Ser.II) Department/ Engineer-in-Chief (AW), I & CAD Department, Hyderabad shall take further necessary action in the matter accordingly.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)**

**SHAILENDRA KUMAR JOSHI  
PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri APS Prakasa Rao, the then Executive Engineer, Peddagadd Project Divn., Saluru and now retired **through** the ENC(AW), I & CAD Department, Hyderabad

The I&CAD(Ser.II) Department

The ENC(AW), I & CAD Department, Hyderabad.

Copy to:

The Director General (V&E), GA(V&E) Department, Hyderabad

The Secretary to VC, APVC

The Accountant General, AP, Hyderabad.

SF/SC

**//FORWARDED :: BY ORDER//**

**SECTION OFFICER**